

## Datasheet

### Metal keyboard for panel mount

DGI.64Q12.F



|                              |                                  |
|------------------------------|----------------------------------|
| <b>Article ID</b>            | DGI.64Q12.F                      |
| <b>Model</b>                 | Digi-Inox                        |
| <b>Surface</b>               | stainless steel keys             |
| <b>Execution</b>             | panel mount                      |
| <b>Layout</b>                | compact layout                   |
| <b>Number of keys</b>        | 64                               |
| <b>Key switch technology</b> | Digi-Inox<br>(metal dome on PCB) |
| <b>Switching power</b>       | 4,0 N                            |
| <b>Switch travel</b>         | 0,6 mm                           |
| <b>Switching cycle</b>       | ca. 3 Mio.                       |
| <b>Pointing device</b>       | without                          |
| <b>Front</b>                 | stainless steel                  |
| <b>IP protection level</b>   | IP65 frontseitig                 |
| <b>Operating temperature</b> | -10°C ... +70°C                  |
| <b>Storage temperature</b>   | -25°C ... +85°C                  |
| <b>weight</b>                | 800 g                            |

## Datasheet

### Metal keyboard for panel mount

DGI.64Q12.F



|                         |  |
|-------------------------|--|
| <b>Dimensions</b>       | 248,5 x 120 x 15 mm                                      |
| <b>Interface</b>        | PS2, USB   |
| <b>Country version</b>  | DE, US, IT, ES, FR<br>andere Ländervarianten auf Anfrage |
| <b>Colour</b>           | Edelstahl  |
| <b>Special function</b> | without  |
| <b>Certification</b>    | CE   |
| <b>Article number</b>   | TKV-064-DGI-IP54-MODUL                                   |
| <b>Application</b>      | Industry, Protection against vandalism                   |

# Datasheet

## Metal keyboard for panel mount

DGI.64Q12.F



Cutout consigliato *Suggested Cut-out*

